

SnapCab Weight Chart WARNING: For estimating purposes only

Standard Cab Dimension Assumptions

| Description | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|-----------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Rear Wall x Side Wall | 68" x 51" | 80" x 51" | 80" x 57" | 80" x 65" | 64" x 95" | 68" x 95" | 71" x 102" |
| Square Feet | 113 | 120 | 128 | 138 | 168 | 170 | 184 |

Wall Panels - 3 walls

| Model Name | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|---------------------------|---------|---------|---------|---------|---------|---------|---------|
| Acero | 312 | 335 | 358 | 389 | 474 | 482 | 515 |
| Apex I | 305 | 327 | 350 | 380 | 436 | 471 | 503 |
| Apex II | 318 | 342 | 366 | 397 | 484 | 492 | 526 |
| Apex II - Extended Stay | 301 | 323 | 344 | 374 | 459 | 464 | 494 |
| Aria II | 283 | 305 | 326 | 354 | 431 | 438 | 468 |
| Brilliant | 359 | 387 | 411 | 450 | 542 | 551 | 585 |
| Clarity | 409 | 437 | 470 | 514 | 625 | 636 | 682 |
| Classic I | 275 | 296 | 316 | 344 | 419 | 426 | 455 |
| Classic I - Compact | 252 | 271 | 290 | 315 | 384 | 390 | 417 |
| Classic I - Vertical | 281 | 302 | 322 | 350 | 426 | 433 | 462 |
| Classic II | 275 | 296 | 316 | 344 | 419 | 426 | 455 |
| Classic II - Compact | 252 | 271 | 290 | 315 | 384 | 390 | 417 |
| Contemporary I | 275 | 296 | 316 | 344 | 419 | 426 | 455 |
| Contemporary I - Compact | 252 | 271 | 290 | 315 | 384 | 390 | 417 |
| Contemporary II | 275 | 296 | 316 | 344 | 419 | 426 | 455 |
| Contemporary II - Compact | 252 | 271 | 290 | 315 | 384 | 390 | 417 |
| Corporate I | 283 | 305 | 326 | 354 | 431 | 438 | 468 |
| Corporate II | 389 | 425 | 450 | 482 | 557 | 569 | 607 |
| Edge | 277 | 297 | 318 | 345 | 420 | 427 | 456 |
| Edge II | 275 | 296 | 316 | 344 | 419 | 426 | 455 |
| Fusion | 348 | 378 | 403 | 436 | 517 | 525 | 561 |
| Harmony | 330 | 354 | 379 | 412 | 502 | 510 | 545 |
| Harmony II | 323 | 347 | 369 | 401 | 488 | 496 | 532 |
| Heritage II | 323 | 338 | 360 | 388 | 470 | 485 | 516 |
| Imperial I | 391 | 420 | 450 | 489 | 595 | 605 | 647 |
| Imperial II | 391 | 420 | 450 | 489 | 595 | 605 | 647 |
| Industrial I | 391 | 420 | 450 | 489 | 595 | 605 | 647 |
| Industrial I - Vertical | 391 | 420 | 450 | 489 | 595 | 605 | 647 |
| Legend I | 361 | 390 | 419 | 458 | 565 | 575 | 616 |
| Legend III | 283 | 303 | 324 | 351 | 426 | 433 | 462 |
| Milano I | 532 | 572 | 611 | 664 | 810 | 823 | 879 |
| Milano II | 533 | 572 | 612 | 665 | 810 | 824 | 880 |
| Modern I | 275 | 296 | 316 | 344 | 419 | 426 | 455 |
| Modern I - Compact | 252 | 271 | 290 | 315 | 384 | 390 | 417 |
| Modern II | 289 | 310 | 332 | 361 | 440 | 447 | 477 |
| Modern II - Compact | 268 | 288 | 308 | 334 | 407 | 414 | 441 |
| Passage | 358 | 388 | 413 | 445 | 528 | 538 | 574 |
| Prism | 401 | 430 | 463 | 503 | 618 | 630 | 662 |
| Pure | 364 | 393 | 417 | 457 | 550 | 558 | 593 |
| Pure II | 410 | 439 | 469 | 507 | 623 | 635 | 679 |
| Radiant | 341 | 370 | 394 | 426 | 511 | 519 | 553 |
| Reflections I | 376 | 410 | 434 | 466 | 543 | 554 | 591 |
| Reflections II | 392 | 427 | 451 | 485 | 565 | 576 | 613 |
| Resilient | 332 | 359 | 383 | 415 | 514 | 541 | 575 |
| Sahara I | 433 | 466 | 498 | 541 | 659 | 670 | 716 |
| Sahara II | 415 | 447 | 479 | 522 | 641 | 651 | 697 |
| Sierra I | 275 | 296 | 316 | 344 | 419 | 426 | 455 |
| Solid | 501 | 538 | 575 | 625 | 762 | 774 | 827 |
| Summit I | 305 | 327 | 350 | 380 | 463 | 471 | 503 |
| Summit I - Compact | 281 | 302 | 322 | 350 | 426 | 433 | 463 |
| Summit II | 334 | 359 | 384 | 417 | 508 | 516 | 552 |
| Summit II - Compact | 308 | 331 | 353 | 383 | 466 | 474 | 508 |
| Tundra II | 275 | 296 | 316 | 344 | 419 | 426 | 455 |
| Ultra I | 275 | 296 | 316 | 344 | 419 | 426 | 455 |
| Vibrant | 382 | 411 | 438 | 478 | 579 | 588 | 626 |
| Vibrant III | 338 | 363 | 385 | 421 | 510 | 518 | 557 |

All weights are estimated and will vary based on the exact size of your cab. If weight is an issue, contact your SnapCab project manager for weight saving ideas.

All weights based on 96" tall cabs with a 7" ceiling drop. For taller cabs, please add approximately 7% per 6" of additional height.

SnapCab Weight Chart WARNING: For estimating purposes only

Standard Cab Dimension Assumptions

| Description | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|-----------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Rear Wall x Side Wall | 68" x 51" | 80" x 51" | 80" x 57" | 80" x 65" | 64" x 95" | 68" x 95" | 71" x 102" |
| Square Feet | 113 | 120 | 128 | 138 | 168 | 170 | 184 |

Wall Panels - 2 walls

| Model Name | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|---------------------------|---------|---------|---------|---------|---------|---------|---------|
| Acero | 186 | 186 | 209 | 240 | 356 | 356 | 383 |
| Apex I | 182 | 182 | 204 | 235 | 348 | 348 | 375 |
| Apex II | 190 | 190 | 213 | 245 | 364 | 364 | 391 |
| Aria II | 169 | 169 | 190 | 218 | 324 | 324 | 349 |
| Brilliant | 214 | 214 | 238 | 277 | 406 | 406 | 434 |
| Clarity | 245 | 245 | 278 | 321 | 467 | 467 | 506 |
| Classic I | 164 | 164 | 185 | 212 | 315 | 315 | 338 |
| Classic I - Compact | 150 | 150 | 169 | 194 | 288 | 288 | 310 |
| Classic I - Vertical | 168 | 168 | 188 | 216 | 320 | 320 | 344 |
| Classic II | 164 | 164 | 185 | 212 | 315 | 315 | 338 |
| Classic II - Compact | 150 | 150 | 169 | 194 | 288 | 288 | 310 |
| Contemporary I | 164 | 164 | 185 | 212 | 315 | 315 | 338 |
| Contemporary I - Compact | 150 | 150 | 169 | 194 | 288 | 288 | 310 |
| Contemporary II | 164 | 164 | 185 | 212 | 315 | 315 | 338 |
| Contemporary II - Compact | 150 | 150 | 169 | 194 | 288 | 288 | 310 |
| Corporate I | 169 | 169 | 190 | 218 | 324 | 324 | 349 |
| Corporate II | 196 | 196 | 221 | 253 | 376 | 376 | 404 |
| Edge | 166 | 166 | 186 | 213 | 316 | 316 | 340 |
| Edge II | 164 | 164 | 185 | 212 | 315 | 315 | 338 |
| Fusion | 218 | 218 | 243 | 276 | 420 | 420 | 449 |
| Harmony | 197 | 197 | 221 | 254 | 377 | 377 | 406 |
| Harmony II | 194 | 194 | 216 | 248 | 366 | 366 | 396 |
| Heritage II | 188 | 188 | 210 | 239 | 352 | 357 | 382 |
| Imperial I | 233 | 233 | 262 | 301 | 447 | 447 | 481 |
| Imperial III | 233 | 233 | 262 | 301 | 447 | 447 | 481 |
| Industrial I | 233 | 233 | 262 | 301 | 447 | 447 | 481 |
| Industrial I - Vertical | 233 | 233 | 262 | 301 | 447 | 447 | 481 |
| Legend I | 216 | 216 | 246 | 284 | 430 | 430 | 464 |
| Legend III | 168 | 168 | 189 | 216 | 319 | 319 | 343 |
| Milano I | 317 | 317 | 357 | 410 | 608 | 608 | 654 |
| Milano II | 318 | 318 | 357 | 410 | 609 | 609 | 655 |
| Modern I | 164 | 164 | 185 | 212 | 315 | 315 | 338 |
| Modern I - Compact | 150 | 150 | 169 | 194 | 288 | 288 | 310 |
| Modern II | 172 | 172 | 194 | 222 | 330 | 330 | 355 |
| Modern II - Compact | 160 | 160 | 180 | 206 | 306 | 306 | 328 |
| Passage | 196 | 196 | 221 | 253 | 376 | 376 | 404 |
| Prism | 242 | 242 | 274 | 314 | 466 | 466 | 494 |
| Pure | 217 | 217 | 242 | 282 | 412 | 412 | 440 |
| Pure II | 246 | 246 | 276 | 314 | 470 | 470 | 506 |
| Radiant | 217 | 217 | 242 | 282 | 412 | 412 | 440 |
| Resilient | 208 | 208 | 232 | 265 | 391 | 410 | 438 |
| Reflections I | 270 | 270 | 302 | 348 | 516 | 516 | 554 |
| Reflections II | 280 | 280 | 312 | 358 | 532 | 532 | 570 |
| Sahara I | 258 | 258 | 291 | 334 | 495 | 495 | 533 |
| Sahara II | 246 | 246 | 278 | 321 | 483 | 483 | 520 |
| Sierra I | 164 | 164 | 185 | 212 | 315 | 315 | 338 |
| Solid | 299 | 299 | 336 | 386 | 572 | 572 | 616 |
| Summit I | 182 | 182 | 204 | 235 | 348 | 348 | 375 |
| Summit I - Compact | 168 | 168 | 188 | 216 | 320 | 320 | 344 |
| Summit II | 199 | 199 | 224 | 257 | 382 | 382 | 411 |
| Summit II - Compact | 184 | 184 | 206 | 236 | 350 | 350 | 378 |
| Tundra II | 164 | 164 | 185 | 212 | 315 | 315 | 338 |
| Ultra I | 164 | 164 | 185 | 212 | 315 | 315 | 338 |
| Vibrant | 228 | 228 | 255 | 295 | 434 | 434 | 466 |
| Vibrant III | 202 | 202 | 224 | 260 | 382 | 382 | 414 |

All weights are estimated and will vary based on the exact size of your cab. If weight is an issue, contact your SnapCab project manager for weight saving ideas.

All weights based on a 7" ceiling drop.

SnapCab Weight Chart WARNING: For estimating purposes only

Standard Cab Dimension Assumptions

| Description | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|-----------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Rear Wall x Side Wall | 68" x 51" | 80" x 51" | 80" x 57" | 80" x 65" | 64" x 95" | 68" x 95" | 71" x 102" |
| Square Feet | 113 | 120 | 128 | 138 | 168 | 170 | 184 |

Handrails and Bumpers

| Model Name | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|--------------------------------|---------|---------|---------|---------|---------|---------|---------|
| Angle - (1) Back Wall | 8 | 9 | 9 | 9 | 7 | 8 | 8 |
| Angle - (2) Side Walls | 11 | 11 | 12 | 13 | 19 | 19 | 20 |
| Angle - (3) Walls | 20 | 22 | 23 | 24 | 28 | 29 | 30 |
| Flat Bar - 1.5" (1) Back Wall | 12 | 14 | 14 | 14 | 11 | 12 | 14 |
| Flat Bar - 1.5" (2) Side Walls | 17 | 17 | 20 | 23 | 35 | 35 | 38 |
| Flat Bar - 1.5" (3) Walls | 29 | 32 | 34 | 37 | 46 | 47 | 50 |
| Flat Bar - 2" (1) Back Wall | 15 | 18 | 18 | 18 | 14 | 15 | 16 |
| Flat Bar - 2" (2) Side Walls | 22 | 22 | 25 | 29 | 44 | 44 | 48 |
| Flat Bar - 2" (3) Walls | 37 | 40 | 43 | 47 | 58 | 59 | 63 |
| Flat Bar - 3" (1) Back Wall | 21 | 25 | 25 | 25 | 20 | 21 | 22 |
| Flat Bar - 3" (2) Side Walls | 30 | 30 | 34 | 40 | 62 | 62 | 67 |
| Flat Bar - 3" (3) Walls | 51 | 55 | 60 | 65 | 81 | 83 | 88 |
| Flat Bar - 4" (1) Back Wall | 28 | 34 | 34 | 34 | 26 | 28 | 29 |
| Flat Bar - 4" (2) Side Walls | 39 | 39 | 45 | 53 | 82 | 82 | 89 |
| Flat Bar - 4" (3) Walls | 67 | 73 | 79 | 86 | 108 | 110 | 117 |
| Flat Bar - 6" (1) Back Wall | 39 | 47 | 47 | 47 | 36 | 39 | 41 |
| Flat Bar - 6" (2) Side Walls | 55 | 55 | 63 | 74 | 114 | 114 | 124 |
| Flat Bar - 6" (3) Walls | 94 | 103 | 111 | 121 | 150 | 153 | 163 |
| Flat Bar - 8" (1) Back Wall | 56 | 67 | 67 | 67 | 52 | 56 | 59 |
| Flat Bar - 8" (2) Side Walls | 78 | 78 | 90 | 105 | 163 | 163 | 177 |
| Flat Bar - 8" (3) Walls | 134 | 146 | 157 | 173 | 215 | 219 | 234 |
| Flat Bar - 10" (1) Back Wall | 70 | 84 | 84 | 84 | 65 | 70 | 73 |
| Flat Bar - 10" (2) Side Walls | 97 | 97 | 112 | 131 | 204 | 204 | 221 |
| Flat Bar - 10" (3) Walls | 167 | 181 | 196 | 215 | 267 | 274 | 292 |
| Fluid - (1) Back Wall | 8 | 9 | 9 | 9 | 7 | 8 | 8 |
| Fluid - (2) Side Walls | 11 | 11 | 12 | 13 | 19 | 19 | 20 |
| Fluid - (3) Walls | 20 | 22 | 23 | 24 | 28 | 29 | 30 |
| Oval - (1) Back Wall | 8 | 9 | 9 | 9 | 7 | 8 | 8 |
| Oval - (2) Side Walls | 11 | 11 | 12 | 13 | 19 | 19 | 20 |
| Oval - (3) Walls | 20 | 22 | 23 | 24 | 28 | 29 | 30 |
| Rectangle - (1) Back Wall | 8 | 9 | 9 | 9 | 7 | 8 | 8 |
| Rectangle - (2) Side Walls | 11 | 11 | 12 | 13 | 19 | 19 | 20 |
| Rectangle - (3) Walls | 20 | 22 | 23 | 24 | 28 | 29 | 30 |
| Round - 1.5" (1) Back Wall | 8 | 9 | 9 | 9 | 7 | 8 | 8 |
| Round - 1.5" (2) Side Walls | 11 | 11 | 12 | 13 | 19 | 19 | 20 |
| Round - 1.5" (3) Walls | 20 | 22 | 23 | 24 | 28 | 29 | 30 |
| Round - 2" (1) Back Wall | 11 | 12 | 12 | 12 | 9 | 11 | 11 |
| Round - 2" (2) Side Walls | 15 | 15 | 16 | 17 | 25 | 25 | 27 |
| Round - 2" (3) Walls | 27 | 29 | 31 | 32 | 37 | 39 | 40 |
| Square - (1) Back Wall | 8 | 9 | 9 | 9 | 7 | 8 | 8 |
| Square - (2) Side Walls | 11 | 11 | 12 | 13 | 19 | 19 | 20 |
| Square - (3) Walls | 20 | 22 | 23 | 24 | 28 | 29 | 30 |
| Vault - (1) Back Wall | 8 | 9 | 9 | 9 | 7 | 8 | 8 |
| Vault - (2) Side Walls | 11 | 11 | 12 | 13 | 19 | 19 | 20 |
| Vault - (3) Walls | 20 | 22 | 23 | 24 | 28 | 29 | 30 |

SnapCab Weight Chart WARNING: For estimating purposes only

Standard Cab Dimension Assumptions

| Description | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|-----------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|
| Rear Wall x Side Wall | 68" x 51" | 80" x 51" | 80" x 57" | 80" x 65" | 64" x 95" | 68" x 95" | 71" x 102" |
| Square Feet | 113 | 120 | 128 | 138 | 168 | 170 | 184 |

Reveals, Toe Kicks, Top Caps & 1 Panel Binder - 3 walls (Bronze includes frieze & toe kick cover)

| Finish | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| Satin stainless steel w/ aluminum | 41 | 42 | 44 | 46 | 51 | 51 | 53 |
| Satin bronze | 52 | 54 | 56 | 59 | 66 | 67 | 70 |
| 3300 wall packs and framing (93") | 109 | 109 | 115 | 123 | na | na | na |

Reveals, Toe Kicks, Top Caps & 4 Panel Binders - 2 walls (Bronze includes frieze & toe kick cover)

| Finish | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| Satin stainless steel w/ aluminum | 31 | 31 | 32 | 34 | 41 | 41 | 43 |
| Satin bronze | 38 | 38 | 40 | 43 | 54 | 54 | 56 |
| 3300 wall packs and framing (93") | 63 | 63 | 69 | 77 | na | na | na |

Ceilings

| Model Name | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|------------------------|---------|---------|---------|---------|---------|---------|---------|
| Aurora w/ bronze | 140 | 160 | 176 | 198 | 238 | 251 | 276 |
| Aurora w/ laminate | 103 | 117 | 127 | 141 | 171 | 178 | 196 |
| Aurora w/ stainless | 124 | 141 | 155 | 173 | 209 | 219 | 241 |
| Economy w/ translucent | 35 | 37 | 39 | 41 | 46 | 47 | 50 |
| Frame w/ translucent | 38 | 40 | 42 | 44 | 49 | 50 | 53 |
| Island w/ bronze | 140 | 160 | 176 | 198 | 238 | 251 | 276 |
| Island w/ laminate | 103 | 117 | 127 | 141 | 171 | 179 | 196 |
| Island w/ stainless | 124 | 141 | 155 | 173 | 209 | 219 | 241 |
| Modular w/ laminate | 103 | 117 | 127 | 141 | 171 | 179 | 196 |
| Modular w/ stainless | 124 | 141 | 155 | 173 | 209 | 219 | 241 |

Crate Dimensions

| Model Name | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|------------------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|
| Standard Panel Crate | 96 x 48 x 36 | 96 x 48 x 36 | 96 x 48 x 36 | 96 x 48 x 36 | 96 x 48 x 36 | 96 x 48 x 36 | 96 x 48 x 36 |
| Standard Ceiling Crate | 72 x 13 x 64 | 84 x 13 x 64 | 84 x 13 x 70 | 84 x 13 x 78 | 99 x 13 x 77 | 99 x 13 x 81 | 106 x 13 x 84 |

Crate Weights

| Model Name | 2000 lb | 2500 lb | 3000 lb | 3500 lb | 4000 lb | 4500 lb | 5000 lb |
|------------------------|---------|---------|---------|---------|---------|---------|---------|
| Standard Panel Crate | 240 | 240 | 240 | 240 | 240 | 240 | 240 |
| Standard Ceiling Crate | 166 | 187 | 202 | 214 | 238 | 257 | 280 |

For projects with Glass or Stone wall panels, add an additional 80 lbs to the panel crate.

To save on shipping costs, each Economy Ceiling is packed in its corresponding panel crate.

To save on shipping costs, we ship up to four (4) Frame, Modular, or Venture Ceilings or two (2) Island or Aurora Ceilings together in one (1) ceiling crate.